



SPLIT SYSTEM, MOBILE HOME AIR CONDITIONING CONDENSING UNITS

ERCQ SERIES AIR CONDITIONERS - 13 S.E.E.R. - R-22

- 5 year limited warranty on compressor
- 2 year limited warranty on all parts

Features...

- High efficiency compressor.
- Easy power and control wiring connections.
- Filter drier installed for system protection
- Top discharge, wire fan grille
- No additional charge required when used with pre-charged coils and line sets

ERCQ Series

- 2 thru 4 ton cooling



The ERCQ series is designed for split system manufactured home air conditioning systems. It is designed to be custom matched to Coleman coils for use in gas fired, oil fired, or electric furnaces. A wide selection of accessories allows the ERCQ to be used in retrofit applications on most competitive Brands, including Miller and Intertherm. Condenser is copper tube/aluminum fin construction. Quickconnect fittings allow easy connection to pre-charged line sets and matching pre-charged coils. When used with sweat connect fittings, the unit charge is correct for the outdoor unit, indoor coil and 15 feet of tubing.

208/230 volt - 1 ph

SKU.No	MFG. NO.	COOLING CAPACITY NOMINAL BTUH	CIRCUIT AMPACITY	MAX. FUSE AMPS	LINE SIZE O.D. LIQUID	LINE SIZE O.D. SUCTION	DIMENSIONS H x W x D	CHARGE LBS - OZ	Weight	Price
5H670A	ERCQ0241BB	24,000	11.8	20	3/8	3/4	27 x 27 x 37"	4 - 5	151	\$1504.00
5H671A	ERCQ0301BB	30,000	15.1	25	3/8	3/4	33 x 27 x 37"	5 - 1	183	\$1692.80
5H672A	ERCQ0361BB	36,000	18.3	30	3/8	7/8	39 x 27 x 37"	5 - 3	183	\$1772.80
5H673A	ERCQ0421BB	42,000	18.3	30	3/8	7/8	39 x 27 x 37"	8 - 0	193	\$2022.40
5H674A	ERCQ0481BB	48,000	19.9	35	3/8	7/8	38 x 32 x 43	7 - 12	215	\$2553.60

ERCS Series

- 5 ton cooling



ERCS SERIES AIR CONDITIONER - 13 S.E.E.R. - R-22

- 5 year limited warranty on compressor
- 2 year limited warranty on all parts


Features...

- High efficiency compressor.
- Easy power and control wiring connections.
- Filter drier installed for system protection
- Top discharge, wire fan grille
- Pre-charged for Condenser, coil and 15 ft. of line

The ERCS unit is designed for split system manufactured home air conditioning systems. It is designed to be custom matched to Coleman coils for use in gas fired, oil fired, or electric furnaces. A wide selection of accessories allows the ERCS to be used in retrofit applications on most competitive Brands, including Miller and Intertherm. Condenser is copper tube/aluminum fin construction. Exposed sweat service valve connections for use with standard refrigeration copper lines and matching sweat connection coil listed below.

208/230 volt - 1 ph

SKU.No	MFG. NO.	COOLING CAPACITY NOMINAL BTUH	CIRCUIT AMPACITY	MAX. FUSE AMPS	LINE SIZE O.D. LIQUID	LINE SIZE O.D. SUCTION	DIMENSIONS H x W x D	CHARGE LBS - OZ	Weight	Price
5H676A	ERCS0601BB	60,000	31.8	50	3/8	7/8	38 x 32 x 43"	15 - 30	270	\$2856.95




HIGH EFFICIENCY, SPLIT SYSTEM AIR CONDITIONING CONDENSING UNITS - 13 S.E.E.R. - R-22

- 5 year limited warranty on compressor
- 5 year limited warranty on parts

2AC13L Series

- 1-1/2 thru 5 ton cooling
- Single and 3 phase units




Features...

- High efficiency Copeland compressor
- Hinged control panel allows easy access to internal controls
- Filter drier installed for system protection
- Easily removable, full metal louvered jacket coil guard protection
- Top discharge wire fan grille
- External 45° service valves positioned for quick installation and service
- Pre-charged for 15 feet of line

The 2AC13L series condensing units are built to achieve value, quality, comfort and performance. Units are matched with a complete selection of coils and air handlers to provide easy application on new and/or replacement applications. The heavy gauge, corrosion resistant cabinet is built from prepainted steel and has drain holes to quickly remove water to prevent corrosion. Quiet, top discharge design with earth tone color to blend with most architecture and landscaping. Enhanced copper tube with aluminum fin condenser coil. Units utilize standard, proven, trade available components.

SKU.No	MFG. NO.	COOLING CAPACITY	VOLTAGE PHASE	CIRCUIT AMPACITY	MAX. FUSE AMPS	CONNECTIONS LIQUID	CONNECTIONS SUCTION	DIMENSIONS H x W x D	Weight	Price
3D301	2AC13L18P	18,000	208/230-1	11.4	15	3/8	3/4	30-3/4 x 22-1/2 x 22-1/2"	129 lbs	\$1171.60
3D302	2AC13L24P	24,000	208/230-1	15.1	25	3/8	3/4	34-3/4 x 22-1/2 x 22-1/2"	134 lbs	\$1267.68
3D303	2AC13L30P	30,000	208/230-1	15.7	25	3/8	3/4	34-3/4 x 30 x 30"	188 lbs	\$1392.93
3D304	2AC13L36P	36,000	208/230-1	21.0	35	3/8	3/4	38-3/4 x 30 x 30"	202 lbs	\$2324.00
3D305	2AC13L42P	42,000	208/230-1	28.0	45	3/8	7/8	38-3/4 x 30 x 30"	206 lbs	\$1641.31
3D306	2AC13L48P	48,000	208/230-1	28.0	45	3/8	7/8	30-3/4 x 30 x 30"	222 lbs	\$1750.73
3D307	2AC13L60P	60,000	208/230-1	27.9	45	3/8	7/8	34-3/4 x 30 x 30"	236 lbs	\$2113.69
3D308	2AC13B36T	36,000	208/230-3	17.2	30	3/8	3/4	38-3/4 x 30 x 30"	191 lbs	\$1702.86
3D309	2AC13B48T	48,000	208/230-3	18.1	30	3/8	7/8	30-3/4 x 30 x 30"	209 lbs	\$1925.71
3D310	2AC13B60T	60,000	208/230-3	21.6	35	3/8	7/8	34-3/4 x 30 x 30"	222 lbs	\$2320.00



HIGH EFFICIENCY, SPLIT SYSTEM HEAT PUMP OUTDOOR SECTIONS - 13 S.E.E.R. - R-22

- 5 year limited warranty on compressor
- 5 year limited warranty on parts

2HP13L Series

- 1-1/2 thru 5 ton cooling
- Single and 3 phase units

Features...

- High efficiency Copeland compressor
- Hinged control panel allows easy access to internal controls
- Low pressure switch for loss of charge protection
- Bi-Flow filter drier installed for system protection
- Discharge muffler for quieter operation
- Easily removable, full metal louvered jacket coil guard protection
- Top discharge wire fan grille
- External 45° service valves positioned for quick installation and service
- Pre-charged for 15 feet of line



The 2AC13L series condensing units are built to achieve value, quality, comfort and performance. Units are matched with a complete selection of coils and air handlers to provide easy application on new and/or replacement applications. Field proven adjustable time/ temperature defrost control with short cycle protection and LED diagnostics. The heavy gauge, corrosion resistant cabinet is built from prepainted steel and has drain holes to quickly remove water to prevent corrosion. Quiet, top discharge design with earth tone color to blend with most architecture and landscaping. Enhanced copper tube with aluminum fin condenser coil. Units utilize standard, proven, trade available components. 208/230 volt.

SKU No	MFG. NO.	COOLING CAPACITY	HEATING CAPACITY	CIRCUIT AMPACITY	MAX. FUSE AMPS	VOLTAGE PHASE	CONNECTIONS LIQUID	CONNECTIONS SUCTION	DIMENSIONS H x W x D	CHARGE	Weight	Price
3D330	2HP13L18P	18,000	17,000	11.5	20	208/230-1	3/8	3/4	34-3/4 x 30 x 30"	130 oz.	129 lbs	\$1545.24
3D331	2HP13L24P	24,000	21,400	15.3	25	208/230-1	3/8	3/4	34-3/4 x 30 x 30"	130 oz.	203 lbs	\$1574.59
3D332	2HP13L30P	24,000	27,000	18.0	30	208/230-1	3/8	3/4	38-3/4 x 30 x 30"	144 oz.	212 lbs	\$1809.21
3D333	2HP13L36P	35,000	34,600	21.7	35	208/230-1	3/8	3/4	26-3/4 x 30 x 30"	210 oz.	221 lbs	\$1937.29
3D334	2HP13L42P	40,000	40,000	23.6	40	208/230-1	3/8	7/8	26-3/4 x 30 x 30"	221 oz.	227 lbs	\$2025.62
3D335	2HP13L48P	45,000	43,500	26.8	45	208/230-1	3/8	7/8	38-3/4 x 30 x 30"	306 oz.	243 lbs	\$2305.41
3D336	2HP13L60P	55,500	53,500	31.1	50	208/230-1	3/8	1-1/8	42-3/4 x 30 x 30"	330 oz.	261 lbs	\$2778.08
3D337	2HP13B36T	35,000	34,600	14.6	25	208/230-3	3/8	3/4	26-3/4 x 30 x 30"	210 oz.	205 lbs	\$2048.65
3D338	2HP13B48T	45,000	43,500	19.8	30	208/230-3	3/8	7/8	38-3/4 x 30 x 30"	306 oz.	227 lbs	\$2364.86
3D339	2HP13B60T	55,500	53,500	21.6	35	208/203-3	3/8	1-1/8	42-3/4 x 30 x 30"	330 oz.	245 lbs	\$2811.19

NATIONAL
COMFORT
PRODUCTS

THRU-THE-WALL CONDENSING UNITS - 10.9 S.E.E.R.

- 5 year limited warranty on compressor
- 1 year limited warranty on all parts

National Comfort Products thru-the-wall units give you adaptability, appearance, efficiency and much more. High-rise condominiums, garden apartments, retirement villages, hotel or motel suites and professional buildings are a few of the typical installations. Units feature Bristol Inertia reciprocating compressors.

Series 1000 -- direct replacement for Bryant, Day & Night, Payne, Carrier, Dunham- Bush, Lennox, Meyers, U.S. A/C Products (BB) and Magic Chef. Series 3000 -- direct replacement for Fedders, Rheem, ennox, Magic Chef, Meyers, U.S. A/C Products (AB), Carrier and G.E. Series 4000 -- direct replacement for Westinghouse, Johnson Air Ease, Dunham Bush, Hydro-Therm Space Pak, York, Luxaire, Lennox nd U.S. A/C Products (CB).



SkU.No	MFG. NO.	COOLING CAPACITY NOMINAL BTUH	VOLTAGE PHASE	MAX. FUSE AMPS	CONNECTIONS LIQUID	CONNECTIONS SUCTION	DIMENSIONS H x W x D	Weight	Price
4H1507	NCPC-018-1010	18,500	208/230-1	15	3/8"OD	5/8"OD	28-5/8 x 26 x 18-1/2"	180	\$1458.54
4H1507A	NCPC-024-1010	24,500	208/230-1	20	3/8"OD	3/4"OD	28-5/8 x 26 x 18-1/2"	185	\$1556.67
4H1507B	NCPC-030-1010	29,000	208/230-1	25	3/8"OD	3/4"OD	28-5/8 x 26 x 18-1/2"	190	\$1625.00
4H1507C	NCPC-018-3010	18,500	208/230-1	15	3/8"OD	5/8"OD	32 x 23-3/4 x 18-1/2"	180	\$1425.58
4H1507D	NCPC-024-3010	24,500	208/230-1	20	3/8"OD	3/4"OD	32 x 23-3/4 x 18-1/2"	185	\$1523.89
4H1507E	NCPC-030-3010	24,500	208/230-1	25	3/8"OD	3/4"OD	32 x 23-3/4 x 18-1/2"	190	\$1612.50
4H1507F	NCPC-018-4010	18,500	208/230-1	15	3/8"OD	5/8"OD	23 x 29-1/2 x 18-1/2"	180	\$1458.54
4H1507G	NCPC-024-4010	24,500	208/230-1	20	3/8"OD	3/4"OD	23 x 29-1/2 x 18-1/2"	185	\$1556.67
4H1507H	NCPC-030-4010	29,000	208/230-1	25	3/8"OD	3/4"OD	23 x 29-1/2 x 18-1/2"	190	\$1625.00

THRU-THE-WALL HEAT PUMPS - 10 S.E.E.R.

- 5 year limited warranty on compressor
- 1 year limited warranty on all parts

National Comfort Products thru-the-wall units give you adaptability, appearance, efficiency and much more. High-rise condominiums, garden apartments, retirement villages, hotel or motel suites and rofessional buildings are a few of the typical installations. Units feature Copeland scroll compressors.

Series 1000 -- direct replacement for Bryant, Day & Night, Payne, Carrier, Dunham- Bush, Lennox, Meyers, U.S. A/C Products (BB) and Magic Chef. Series 3000 -- direct replacement for Fedders, heem, Lennox, Magic Chef, Meyers, U.S. A/C Products (AB), Carrier and G.E.



SkU.No	MFG. NO.	COOLING CAPACITY NOMINAL BTUH	HEATING CAP. NOM. BTUH	VOLTAGE PHASE	MAX. FUSE AMPS	CONNECTIONS LIQUID	CONNECTIONS SUCTION	DIMENSIONS H x W x D	Weight	Price
4H1503	DSHP-018-1019	18,000	17,000	208/230-1	25	3/8"OD	5/8"OD	28-5/8 x 26 x 18-1/2"	200	\$2157.22
4H1503A	DSHP-024-1019	24,000	22,500	208/230-1	30	3/8"OD	3/4"OD	28-5/8 x 26 x 18-1/2"	200	\$2297.17
4H1503B	DSHP-030-1019	28,000	26,000	208/230-1	30	3/8"OD	3/4"OD	28-5/8 x 26 x 18-1/2"	200	\$2491.50
4H1504	DSHP-018-3019	18,000	17,000	208/230-1	25	3/8"OD	5/8"OD	32 x 23-3/4 x 18-1/2"	215	\$2152.63
4H1504A	DSHP-024-3019	24,000	22,500	208/230-1	30	3/8"OD	3/4"OD	32 x 23-3/4 x 18-1/2"	215	\$2296.57
4H1504B	DSHP-030-3019	28,000	26,000	208/230-1	30	3/8"OD	3/4"OD	32 x 23-3/4 x 18-1/2"	215	\$2491.50

DECORATIVE LOUVERED GRILES

for use with units shown above

Will make your building more attractive. Protects condenser coil from weather and vandalism. Performance and efficiency will not be affected.

SkU.No	MFG. NO.	DESCRIPTION	Price
4H1510	14269019	Decorative Louvered Grille - 1000 Series	\$209.76
4H1510A	14269020	Decorative Louvered Grille - 3000 Series	\$241.61
4H1510B	14269021	Decorative Louvered Grille - 4000 Series	\$192.93



Series 1000 with Decorative Louvered Grille

NATIONAL
COMFORT
PRODUCTS

THRU-THE-WALL GAS HEATING/ELECTRIC COOLING UNITS

- 5 year limited warranty on compressor
- 5 year limited warranty on all parts

The "CPG" Series are self-contained, gas-fired heating with electric cooling units. Available in 1-1/2, 2 or 2-1/2 ton capacities and up to 51,000 BTUH heating capacity output. Units are completely re-charged and pre-wired. No long refrigerant lines, slide out cooling chassis, cleaner appearance and easier installation are just a few of the features that the CPG series has to offer.

Cooling features include high efficiency Copeland scroll compressor, copper tube enhanced aluminum fin coils and permanently lubricated high efficiency PSC blower motor. Heating features consist of luminized titanium stabilized steel heat exchanger, direct spark ignition with unique single gas orifice and 80% AFUE industrial quality serpentine design heat exchanger.

COMFORT-PACK CPG Series




SKU.No	MFG. NO.	COOLING BTUH	S.E.E.R.	HEATING INPUT BTUH	A.F.U.E.%	CFM @ .5" WC	VOLTAGE PHASE	Weight	Price
4H1531	CPG1238-B	12,000	10.6	38,000	80%	350	208/230-1	310 lbs	\$3249.08
4H1531A	CPG1838-B	18,000	10.6	38,000	80%	495	208/230-1	350 lbs	\$3396.25
4H1531B	CPG1851-B	18,000	10.6	51,000	80%	495	208/230-1	350 lbs	\$3423.86
4H1531F	CPG1864-B	18,000	10.6	64,000	80%	495	208/230-1	350 lbs	\$3611.61
4H1531C	CPG2438-B	24,000	10.6	38,000	80%	545	208/230-1	365 lbs	\$3558.55
4H1531D	CPG2451-B	24,000	10.6	51,000	80%	545	208/230-1	365 lbs	\$3583.03
4H1531E	CPG2464-B	24,000	10.6	64,000	80%	545	208/230-1	365 lbs	\$3486.76
4H1531G	CPG3051-B	30,000	10.6	51,000	80%	590	208/230-1	375 lbs	\$3875.00
4H1531H	CPG3064-B	30,000	10.6	64,000	80%	590	208/230-1	375 lbs	\$3956.11

SLIMDUCT™ INC.

SLIMDUCT™ 100 SERIES LINESET DUCTING SYSTEM

This product is designed to enclose A/C and Refrigeration line sets, and electric to present an aesthetically pleasing appearance to an otherwise unsightly tangle of lines and wiring. Easy to install and blends in with the exterior of the building. It is a UV resistant, rigid polyvinyl chloride product. SlimDuct 100 series slightly larger size allows for the use of lines sizes larger than those associated with Ductless Mini Split systems. 4" x 2 3/4" in size. White color.



This size SlimDuct will accommodate the following:

With 2 insulated refrigerant lines:

Up to 3/8" & 5/8" lines

Plus 3/4" drain line

Plus 1 each UF 14-3

Plus 1 each 18/2 AWG

With 1 insulated refrigerant line:


Up to 3/8" & 1-1/8" lines

Plus 3/4" PVC drain line

Plus 1 each UF 14-2

Plus 1 each 18/2 AWG

SKU.No	MFG. NO.	DESCRIPTION	Price
8H1051	SD-100-W	SlimDuct 78" Length	\$64.43
8H1052	SJ-100-W	Coupler	\$10.29
8H1053	SW-100-W	Wall Inlet	\$28.14
8H1054	SP-100-W	Soffit inlet	\$20.58
8H1055	SEN-100-W	End Fitting	\$15.86
8H1056	SK-100-W	90 Degree flat elbow	\$27.72
8H1057	SC-100-W	90 Degree vertical elbow	\$27.58
8H1058	SIF-100-W	2" Fixed offset	\$34.58
8H1059	SKF-100-W	45 Degree flat elbow	\$24.16
8H1060	SFJ-100-W	Flexible adapter	\$9.24
8H1061	SCF-100-W	45 Degree vert. elbow	\$22.58
8H1018	DH-16	Drain Hose, 164 ft. roll - Constructed with a designated cut off section every 39". (fits most brands of mini-splits.)	\$82.27



WALL TYPE CONDENSER MOUNTING BRACKET

Brackets for mounting "Mini Split Condensers" on a wall. Complete with wall support, drop legs and unit mounting extensions with adjustable mounting hole centers. Supports "Mini Split Condensers" up to 130 lbs Max.



SKU.No	MFG. NO.	DESCRIPTION	Price
8H1017	C-KU2	Wall Mounting Brackets	\$118.31

CONDENSER MOUNTING BRACES BY DIVERSITECH

These mounting braces allow the hanging of outdoor units to the side of a building. They screw into the wall of the building so that the unit can rest on top of the braces. No need to worry about ground settling or landscaping. Braces are constructed of heavy angle steel and drilled to allow the unit to bolt to them. Support arms (2) are included. Primed with beige paint.

SKU.No	MFG. NO.	DESCRIPTION	Price
1R345	ACB-30	30" Long Braces	\$39.23
1R345A	ACB-36	36" Long Braces	\$41.51
1R345B	ACB-42	42" Long Braces	\$52.28

